

INDEX TO VOLUME 88 (2002)

AUTHORS

- Allen, S.G.: see Grigg, Green, Allen, and Markowitz
- Beer, W.: see Paulsen, Beer, and Lee
- Brooks, M.L.: Sampling Methods and Trapping Success Trends for the Mohave Ground Squirrel, *Spermophilus mohavensis*
- Burner, L.C.: Incidence of White Sturgeon Deformities in Two Reaches of the Columbia River
- Cech, J.J., Jr.: see Myrick and Cech
- Didier, D.A.: The Spotted Ratfish, *Hydrolagus coliei*: Notes on Its Biology with a Redescription of the Species (Holocephali: Chimaeridae)
- Feyrer, F.: Structure, Sampling Gear and Environmental Associations, and Historical Changes in the Fish Assemblage of the Southern Sacramento-San Joaquin Delta
- Fleskes, J.P.: Distribution of Female Northern Pintails in Relation to Hunting and Location of Hunted and Non-Hunted Habitats in the Grassland Ecological Area, California
- Gilmer, D.S.: see Fleskes, Gilmer, and Jarvis
- Green, D.E.: see Grigg, Green, Allen, and Markowitz
- Greiner, T.A.: Records of the Shokihaze Goby, *Tridentiger barbatus* (Gunther), Newly Introduced into the San Francisco Estuary
- Grigg, E.K.: Nocturnal and Diurnal Haul-Out Patterns of Harbor Seals (*Phocavitulina richardsi*) at Castro Rocks, San Francisco Bay
- Hastings, P.A.: see Walker, Hastings, and Steele
- Healey, M.P.: see Feyrer and Healey
- Herbinson, K.T.: see Moore and Herbinson
- Hillson, T.D.: see Tipping and Hillson
- Hoff, G.R.: New Records of the Aleutian Skate, *Bathyraja aleutica*, From Northern California
- Hoff, G.R.: Record of the Shoulderspot Grenadier, *Caelorinchus scaphopsis*, From Northern California, U.S.A.
- Hubbart, J.A.: Economical Tripod Rifle Mount
- Jarvis, R.L.: see Fleskes, Gilmer, and Jarvis
- Lee, D.P.: see Paulsen, Beer, and Lee
- Loggins, R.E.: Seasonal Diets of Wild Pigs in Oak Woodlands of the Central Coast Region of California
- Manuwal, D.A.: see Stabins, Manuwal, and Paulus
- Markowitz, H.: see Grigg, Green, Allen, and Markowitz
- Matchett, J.R.: see Brooks and Matchett
- Merz, J.E.: Seasonal Feeding Habits, Growth, and Movement of Steelhead Trout in the Lower Mokelumne River, California
- Moore, R.H.: First Record of the Armed Grunt, *Conodon serrifer* (Haemulidae) in Southern California

- Myrick, C.A.: Growth of American River Fall-Run Chinook Salmon in California's Central Valley: Temperature and Ration Effects
- Nobriga, M.L.: Larval Delta Smelt Diet Composition and Feeding Incidence: Environmental and Ontogenetic Influences
- Paulsen, I.L.: Trends in Black Bass Fishing Tournaments, 1990-1994, and Comparisons with 1985-1989 Data
- Paulus, S.L.: see Stabins, Manuwal, and Paulus
- Rien, T.A.: see Burner and Rien
- Rosenberger, L.J.: see Didier and Rosenberger
- Stabins, H.C.: Time Allocation by Aleutian Canada Geese During the Nonbreeding Season in California
- Steele, R.H.: see Walker, Hastings, and Steele
- Sweitzer, R.A.: see Loggins, Wilcox, Van Vuren, and Sweitzer
- Tipping, J.M.: Adult Recoveries of Winter and Summer Steelhead by Release Location on the Lewis River, Washington
- Town, P.: see Wooster and Town
- Van Vuren, D.H.: see Loggins, Wilcox, Van Vuren, and Sweitzer
- Walker, H.J.: The Pacific Golden-Eyed Tilefish, *Caulolatilus affinis* Gill (Teleostei: Malacanthidae), First Occurrence in California
- Wilcox, J.T.: see Loggins, Wilcox, Van Vuren, and Sweitzer
- Wooster, T.: Newly Discovered Food and Habitat Use by California Red Tree Voles

SUBJECT

- Aleutian Skate: New Records of, From Northern California, 145-148.
- Armed Grunt: First Record of, In Southern California, 178-180.
- Black Bass: Trends in Fishing Tournaments, with Data From 1990-1994 and 1985-1989, 1-14.
- Canada Geese: Aleutian, Time Allocation by, During the Nonbreeding Season in California, 186-195.
- Chinook Salmon: Growth of Fall-Run in California's Central Valley: Temperature and Ration Effects, 35-44.
- Deformities: Incidence in White Sturgeon in Two Reaches of the Columbia River, 57-67.
- Delta Smelt: Larval, Diet Composition and Feeding Incidence: Environmental and Ontogenetic Influences, 149-164.
- Diets: Seasonal, of Wild Pigs in Oak Woodlands of the Central Coast Region of California, 28-34.
- Distribution: Of Female Northern Pintails in Relation to Hunting and Location of Hunted and Non-Hunted Habitats in the Grassland Ecological Area, California, 75-94.
- Environmental and Ontogenetic Influences: Larval Delta Smelt Diet Composition and Feeding Incidence, 149-164.

- Environmental Effects: Temperature and Ration Effects on Growth of Fall-Run Chinook Salmon in California's Central Valley, 35-44.
- Fish Assemblage: Structure, Sampling Gear and Environmental Associations, and Historical Changes in, of the Southern Sacramento-San Joaquin Delta, 126-138.
- Goby, Shokihaze: Records of, Newly Introduced into the San Francisco Estuary, 68-74.
- Harbor Seals: Nocturnal and Diurnal Haul-Out Patterns at Castro Rocks, San Francisco Bay, California, 15-27.
- Introductions: Records of the Shokihaze Goby, *Tridentiger barbatus* (Gunther), Newly Introduced into the San Francisco Estuary, 68-74.
- Mohave Ground Squirrel: Sampling Methods and Trapping Success for the Mohave Ground Squirrel, *Spermophilus mohavensis*, 165-177.
- Pacific Golden-Eyed Tilefish: First Occurrence in California, *Caulolatilus affinis* Gill (Teleostei: Malacanthidae) 139-141.
- Pintails, Distribution of Female Northern, in Relation to Huntin and Location of Hunted and Non-Hunted Habitats in the Grassland Ecological Area, California, 75-94.
- Red Tree Voles: Newly Discovered Food and Habitat Use by California Red Tree Voles, 181-185.
- Rifle Mount: Economical Tripod Rifle Mount, 142-144.
- Shoulderspot Grenadier: Record of the Shoulderspot Grenadier, *Caelorinchus scaphosis*, From Northern California, U.S.A., 45-47.
- Spotted Ratfish: Notes on Its Biology with a Redescription of the Species (Holocephali: Chimaeridae), 112-125.
- Steelhead: Adult Recoveries of Winter and Summer Steelhead by Release Location on the Lewis River, Washington, 49-56.
- Steelhead: Seasonal Feeding Habits, Growth, and Movement of Steelhead Trout in the Lower Mokelumne River, California, 95-111.
- Tournaments: Black Bass Fishing, Trends, with Data from 1990-1994 and 1985-1989, 1-14.
- Trends: In California Black Bass Fishing Tournaments, 1990-1994, and Comparisons with 1985-1989 Data, 1-14.
- White Sturgeon: Incidence of Deformities in Two Reaches of the Columbia River, 57-67.
- Wild Pigs: Seasonal Diets of Wild Pigs in Oak Woodlands of the Central Coast Region of California, 28-34.

SCIENTIFIC NAMES

- Abies concolor*, 181
Abies grandis, 181
Acanthogobius flavimanus 131, 136
Acanthogobius flavimanus, 65
Acipenser brevirostrum, 57
Acipenser fulvescens, 57
Acipenser transmontanus, 57, 132
Alosa sapidissima, 131
Ameiurus melas, 131
Ameiurus natalis, 132
Anas acuta, 75
Anistremus davidsonii, 179
Anser albifrons frontalis, 188
Arborimus longicaudus, 181
Arborimus pomo, 181
Arborimus spp., 181
Bathyragea trachura, 145, 146
Bathyragea aleutica, 145, 146
Bathyragea interrupta, 145, 146
Bathyragea parvifera, 145, 146
Bathyragea spinosissima, 145, 146
Branta canadensis leucoparia, 186
Branta canadensis minima, 188
Caelorinchus scaphopsis, 45
Callorhynchus milii, 120, 121
Caranx sexfasciatus, 179
Carassius auratus, 131
Catostomus macrocheilus, 65
Catostomus occidentalis, 96, 131, 132
Caulolatilus chripops, 140
Caulolatilus affinis, 139
Caulolatilus hubbsi, 139
Caulolatilus princeps, 139
Chen caerulescens, 188
Chen rossii, 188
Chimaera coliei, 116
Chimaera media, 116
Chimaera neglecta, 116, 121
Chimera, 113
Clupea pallasii, 24
Conodon serrifer, 178
Cottus asper, 96, 131

- Cyprinell lutrensis*, 136
Cyprinodon variegatus, 64
Cyprinus carpio, 133
Diaptomus spp., 155
Echinochloa crusgalli, 76
Egeria densa, 127
Esox lucius, 65
Eucyclogobius newberryi, 73
Eurytemora affinis, 149, 150, 153, 156, 157, 159
Fundulus heteroclitus, 64
Gambusia affinis, 96, 131, 136
Haemulon flaviguttatum, 179
Harriotta raleighana, 113
Huso huso, 57
Hydrolagus colliei, 112, 116, 119, 120, 121, 122, 123
Hydrolagus media, 112, 121, 122, 123
Hydrolagus novaezealandiae, 121, 123
Hypomesus transpacificus, 73, 136, 149
Hysterocarpus traski, 131, 132
Ictalurus punctatus, 135
Lavinia exilicauda, 136
Lepomis cyanellus, 131, 132
Lepomis gulosus, 131
Lepomis macrochirus, 97
Lepomis microlophus, 136
Lobotes surinamensis, 179
Loligo spp., 60
Lutjanus novemfasciatus, 140
Menidia berrylina, 136
Microlepidotus inornatus, 179
Micropterus dolomieu, 1, 131, 133, 136
Micropterus punctulatus, 1,
Micropterus salmoides, 1, 97
Microtus sp., 30
Morone saxatilis, 126, 133, 150
Neomysis mercedis, 150
Notemigonus crysoleucas, 97
Odocoilius hemionus, 30
Oncorhynchus mykiss, 36, 49, 95, 132
Oncorhynchus tshawytscha, 35, 49, 96, 131
Orthodon microlepidotus, 131
Osphranticum labronectum, 155
Ostrea rivularis, 73
Percina macrolepida, 131

- Percina macroplepida*, 136
Phoca vitulina richarddsi, 15
Picea stichensis, 181
Pimephales promelas, 64, 136
Pinus muricata, 182
Platyichthys stellatus, 136
Pogonichthys macrolepidotus, 126, 131, 132
Pomoxis annularis, 131
Pomoxis nigromaculatus, 131
Potamocorbula amurensis, 150, 162
Pseudodiaptomus forbesi, 149, 150, 153, 154, 156, 157, 160, 161
Pseudotsuga menziesii, 181
Ptychocheilus grandis
Quercus agrifolia, 30
Quercus douglasii, 29
Quercus garryana, 30
Quercus lobata, 29
Selene brevoorti, 179
Sinocalanus doerrii, 153, 155, 157, 160
Spermophilus beecheyi, 30, 142
Spermophilus mohavensis, 165
Sus scrofa, 28
Thomomys spp., 142
Thuja plicata, 181
Tridentiger barbatus, 68
Tridentiger bifasciatus, 65, 131, 133, 136
Tridentiger trigonocephalus, 65
Trioenophorichthys barbatus, 65
Tsuga heterophylla, 181
Xenistius californiensis, 179

